

CUT

OVER-ALL PRINT

OVER-ALL PRINT

Lilly Miller

Lilly Miller


Lilly Miller

Lilly Miller

Prevents Weeds and Grasses Around Roses and Listed Shrubs and Trees

TREATS OVER 2,000 SQ. FT.

# CASORON GRANULES



Keep out of reach of children  
**CAUTION**  
See back panel for additional precautionary statements.

ACTIVE INGREDIENT:  
Dichlobenil 2-(6-Dichlorobenzonitril)..... 2.0%  
INERT INGREDIENTS..... 98.0%

NET WEIGHT 10 LBS. (4.5 kg)

CASORON GRANULES

Prevents Weeds and Grasses Around Roses and Listed Shrubs and Trees

CASORON GRANULES

Prevents Weeds and Grasses Around Roses and Listed Shrubs and Trees

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
CAUTION: Harmful if swallowed. Do not breathe dust. Do not allow contact with eyes or skin. Get medical attention if irritation persists. Wash thoroughly after handling. Avoid contamination of feed and foodstuff. Do not enter or allow persons or pets to enter treated area until granules are thoroughly watered in and treated soil has dried. Do not apply this product in a way that will contact any person or pets, either directly or through drift. Keep people and pets out of the area during application.

**FIRST AID**  
**If In Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.  
**If Swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.  
**If On Skin Or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

**ENVIRONMENTAL HAZARDS**  
Cover, collect, or incorporate granules spilled on the soil surface. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. This chemical has properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow may result in ground water contamination.

**USER SAFETY RECOMMENDATIONS**  
**Users should:** Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should wear long-sleeved shirt and long pants, shoes and socks when applying this product. Users should remove clothing if pesticide gets inside, then wash and put on clean clothing.

**DIRECTIONS FOR USE**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For household use only. Not for use indoors.

CASORON GRANULES will selectively control annual grassy and certain perennial weeds around established ornamental trees and shrubs, fruit and nut trees, and berries, listed on this label. One application, made as directed, is generally enough to give season-long control.

CASORON GRANULES when applied to the soil as directed will give selective control of annual grassy and broadleaf weeds and certain perennial weeds such as:

*Annual bluegrass, Artemisia, Bluegrass, Bull thistle, Camphorweed, Canada thistle, Carpetweed, Chickweed, Citronmelon, Climbing milkweed, Coffeeweed, Crabgrass, Cudweed, Curly dock, Dandelion, Dogfennel, Evening primrose, False dandelion, Fescue, Fieldneck, Florida purslane (Pusley), Foxtail, Giseki, Groundsel, Henbit, Horsetail, Jerusalem oak goosefoot, Knotweed, Leafy spurge, Lambsquarters, Maypop passionflower, Morningglory, Nutsedge, Orchardgrass, Pepperweed, Pineappleweed, Plantain, Purslane, Quackgrass (from seed), Ragweed, Red deadnettle, Redroot pigweed, Rosarypea, Russian knapweed, Russian thistle, Shepherdspurse, Smartweed, Smooth brome, Spansheweed, Spurge, Stranglevine, Teaweed, Texas panicum, Timothy, Wild artichoke, Wild carrot, Wild mustard, Wild radish, Wilchgrass, Yellow rocket, Yellow woodsorrel.*

CASORON GRANULES is to be applied only to established woody plants — those which have been planted for at least four months.

CASORON GRANULES can be used for weed control on the following Ornamental Woody Shrubs:

*Annur corksree, Arborvitae, Ash, Azalea, Barbary, Beauty bush, Birch, Box elder, Boxwood, Camellia, Caragana, Ceanothus prostratus, Cleome japonica, Cottonaster, Cottonwood, Crabapple, Decidua, Dogwood, Eastern red cedar, Elm, Elwood cypress, English ivy, English walnut, Euonymus, Filbert, Flowering almond, Flowering quince, Forsythia, Gardenia, Goldenraintree, Hackberry, Heather, Holly, Honeysuckle, Juniper, Kinkinnick, Laurel, Leucothoe, Lilac, Linden, Locust, Magnolia, Maple, Mock orange, Mountain ash, Nandina, Oak, Osmanthus, Pachistima, Pecan, Photinia, Pittosporum, Poinc, Pinet, Pyracantha, Rhododendron, Rockrose, Rose, Russian olive, Spirea, Weigela, Willow, Yew (Taxus).*

\*Kurume, Mollis, Hardy Hybrid types and hardy native species only.  
\*Only ivy plants that have been planted for at least 12 months.  
\*Except I. Crenata, I. Rotunda, I. Vomitoria.

CASORON GRANULES may injure or kill plants not listed on this label.

CASORON GRANULES may be used for weed control on the following edible fruits and nuts:

Apple Blueberry Filbert Pear  
Blackberry Cherry Grape Raspberry

**Before Application**  
1. Remove existing weeds.  
2. Thoroughly work and smooth the area to be treated.  
3. Carefully measure area to be treated and determine the number of square feet.  
4. If area to be treated is large, it should be divided into smaller sections and each treated individually.

**Application Timing**  
For annual weeds: Apply in early spring before weeds emerge or after removing weeds.  
For perennial weeds: For best control, apply after a killing frost from late fall to early winter.


**Application and Rate**  
Shake CASORON GRANULES uniformly on the soil at the rates specified. Rates higher than those indicated may cause injury.

**ORNAMENTAL WOODY SHRUBS:** Use at rate of 3/4 ounce (2 level tablespoons) for each 10 sq. ft. to be treated. 10 pounds treats 2,133 sq. ft.

**FRUIT TREES, NUTS, BLUEBERRIES, GRAPES:** Apply 2-3 level tablespoons per 10 sq. ft. Use the higher rate—3 tablespoons per 10 sq. ft.—if weed infestation is heavy or if most weeds are perennial. Wait 30 days after making application before harvesting cherries or nuts.

**BLACKBERRIES, RASPBERRIES:** Use 2 level tablespoons per 10 sq. ft. Use only on established plantings. Apply before new shoots emerge in spring.

Use the diagram below as a guide for uniform distribution of granules.



Application rate (actual size). Sprinkle evenly as shown.

More accurate and uniform application can be obtained by applying one-half of the required material over the entire treatment area and repeating the application with the remaining material.

CASORON GRANULES should not be used on sloping areas because runoff may result in injury to lawn or other plants in adjacent areas.

**After Application**  
1. Unless the soil is wet, sprinkle lightly to moisten the soil 1/4 to 1/2 inch deep. Do not flood. Avoid puddling and washing away the granules.  
2. Avoid disturbing soil in the treated area as long as weed control is being maintained.

**NOTE:** Use only on the plants listed. Do not apply to transplant or cutting beds or to newly set transplants, and do not seed or transplant into treated areas for one year after application. Do not use on extremely light sandy soils.

**STORAGE AND DISPOSAL**  
Store this product in its original container out of reach of children and domestic animals. If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**NOTICE:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Filled by weight not by volume. Product may settle after packaging. Casoron® is a registered trademark of Crompton Corporation or a subsidiary of Crompton Corporation.

**LILLY MILLER BRANDS**  
P.O. BOX 2289  
CLACKAMAS, OREGON 97015  
[www.lillymiller.com](http://www.lillymiller.com)  
EPA Reg. No. 802-536 EPA Est. 2217-KS-2  
09 60 6110 - 10/05

OVER-ALL PRINT

GLUE SEAM

OVER-ALL PRINT

Lilly Miller  
**CASORON GRANULES**

