

**Easy-to-use  
powder duster**

**No unpleasant  
odor**

**Lilly  
Miller®**

# **RHODODENDRON ROSE & FLOWER DUST**

**Kills root weevils,  
plus aphids, beetles,  
leafhoppers, leafrollers,  
leafminers, spider mites,  
thrips, whitefly**

**Use on ornamental shrubs,  
flowers and trees**

**Also use on fruits, nuts,  
and vegetables**

**ACTIVE INGREDIENT:**

Permethrin ..... 0.25%

OTHER INGREDIENTS ..... 99.75%

100.00%

**NET WEIGHT  
1 POUND (454 g)**

**Keep out of reach of children**

**CAUTION**

See back for additional precautionary statements



09604-00 - 07/02



**Cherries (In the East, do not exceed 4 applications after petal fall):** To control green fruitworm, lesser peachtree borer, plum curculio, redbanded leafroller, rose chafer, tarnished plant bug. Do not exceed 6 applications per season.

**Cherries (In the West, do not exceed 3 applications after petal fall):** To control green fruitworm, lesser peachtree borer, plum curculio, redbanded leafroller, rose chafer, tarnished plant bug. Do not exceed 4 applications per season.

**Peaches (14):** To control green fruitworm, lesser peach tree borer, oriental fruit moth, peach twig borer, plum curculio, rose chafer, tarnished plant bug. Dust lightly. Apply up to 5 times per season.

**Pears – Dormant (May be applied dormant through the delayed dormant growth periods only):** To control pear psylla. Do not exceed 2 applications per season.

**Pears – Pre-bloom (May be applied from dormant through bud burst):** To control codling moth, green fruitworm, and pear psylla. Do not exceed 2 applications per season.

**Walnuts (1):** To control codling moth, navel orangeworm, and walnut husk fly. Do not exceed 8 applications per season.

#### ANTS, CARPENTER ANTS

Wearing household latex or rubber gloves, apply when air is calm to avoid drift and contact with eyes and skin. Allow dust to settle in treated areas before reentering. Wash hands thoroughly after handling and before eating or smoking. Do not allow dust to wind drift to nontarget plants or water supplies. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Treat doors, around window frames, ant trails and hills, cracks and crevices and other areas of entry.

#### STORAGE AND DISPOSAL

**STORAGE:** Store in a cool, dry place. Keep container closed.  
**DISPOSAL:** *If Empty:* Do not reuse this container. Place in trash or offer for recycling if available. *If Partly Filled:* Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

# LILLY MILLER® RHODODENDRON ROSE & FLOWER DUST

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label before each use.

**For use on home gardens.** Not for use on plants being grown for commercial sale or commercial use. This product controls a wide range of insect pests. Apply when insects first appear before damage from feeding occurs. Wearing household latex or rubber gloves, dust lightly to cover upper and lower leaf surfaces with a thin, even film of dust. Apply when air is calm to avoid drift and contact with eyes and skin. Allow dust to settle in treated areas before reentering. Wash hands thoroughly after handling and before eating or smoking. Do not allow dust to wind drift to nontarget plants or water supplies. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces.

Distributed by:  
**LILLY MILLER BRANDS**  
 PO Box 2289  
 Clackamas, OR 97015

EPA Reg. No. 1021-1749-33116  
 EPA Est. 58996-MO-1  
 Made in USA

www.lillymiller.com  
 09604400-06/03





### **ORNAMENTALS (including Roses, Flowers, Shrubs and Small Trees)**

Contact insects directly whenever possible.

**To control (kill):** Aphids, bagworms, cabbage looper, cicadas, corn earworms, cutworm, exposed thrips, fall cankerworms, fall webworms, inchworms, Japanese beetle (adults), leafhoppers, leafminers, leafrollers, mealybugs, spider mites, stinkbugs, strawberry root weevil and obscure root weevil (adults), whitefly.

**On the following plants:** African violets, Ageratum, Arizona Cypress, Aster, Azalea, Begonia, Camellia, Carnation, Chrysanthemum, Coleus, Common Ninebark, Common Snowberry, Crassula, Dahlias, Delphinium, Dogwood, Exacum, Euonymus, English Ivy, Fuchsia, Geranium, Gladiolus, Gold Bells, Grape Vines (ornamental), Hypoestes, Ivy, Laurel, Lilac, Marigold, Mock Orange, Nannyberry, Orchid, Palm, Pansy, Pea Shrub, Petunia, Philodendron, Poinsettia, Rhododendron, Rose, Snapdragon, Stocks, Taxus, Wax Plant, Weeping Fig, Weeping Fig, Zinnia.

### **VEGETABLES**

The number in parentheses ( ) following each crop grouping is the pre-harvest interval, e.g., the number of days that must be observed between application and harvest.

**Artichokes (0):** To control (kill) artichoke plume moth, leafminer. Do not exceed 5 applications per season.

**Asparagus (1):** To control (kill) asparagus beetle, cutworm. Do not exceed 4 applications per season.

**Asparagus (post-harvest):** To control (kill) larval and adult stage of asparagus beetle, tarnished plant bug, lygus bug, collards and adult stage of Japanese beetle. Dust ferns or bush growth after spear harvest when insects are present. (Not for use in California.)

**Cole Crops (Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Chinese Cabbage (tight-heading variation only), Chinese Broccoli (1):** To control (kill) beet armyworm, cabbage aphid, cabbage looper, cutworm, diamondback moth, flea beetle, imported cabbageworm, leafminer, plant bug, thrips. Apply every 5 days or as needed. Do not exceed 8 applications per season on cauliflower, Brussels sprouts and broccoli, or 5 applications on cabbage. (Not for use in California.)

**Cucurbits (Balsam Pear - bitter melon: Chinese waxgourd - Chinese preserving melon; Citron melon; Cucumber; Gherkin; Edible gourds; Melons including hybrids such as cantaloupe, casaba, crenshaw, honeydew, honeyballs, mango melon, muskmelon, Persian melon; Pumpkin, Squash - summer and winter; Watermelon) (0):** To control (kill) aphids, cabbage looper, cucumber beetle (adult), cutworm, leafhopper, leafminer, melonworm, pickleworm, plant bug, squash bug. Do not exceed 8 applications per season.

**Eggplant (3):** To control (kill) Colorado potato beetle, vegetable leafminer, flea beetle. Do not exceed 10 applications per season.

**Leafy Vegetables (Amaranth, Arugula, Celery, Chervil, Corn Salad, Chrysanthemum (edible-leaved and garland), Cress (garden and upland), Dandelion, Dock, Endive, Fennel, Lettuce (head and leaf), Orach, Parsley, Purslane (garden and winter), Rhubarb, Spinach, Swiss chard (1):** To control (kill) alfalfa looper, aphid, beet armyworm, cabbage looper, corn earworm, cutworm, European corn borer, fall armyworm, green cloverworm, Southern armyworm, tobacco budworm, vegetable leafminer. Do not exceed 5 applications per season.

**Onions (dry bulb & garlic) (1):** To control (kill) armyworm, cutworm, leafminer, onion maggot (adult), onion thrips, stink bug. Do not exceed 6 applications per season.

**Peppers (bell) (3):** To control (kill) beet armyworm, aphid, cabbage looper, corn earworm, European corn borer, flea beetle, pepper weevil, vegetable leafminer. Do not exceed 8 applications per season.

**Potatoes (14):** To control (kill) beet armyworm, cabbage looper, Colorado potato beetle, cutworm, European corn borer, potato aphid, potato flea beetle, potato leafhopper, potato psyllid, potato tuberworm, tarnished plant bug. Do not exceed 8 applications per season.

**Spinach (1):** To control (kill) aster leafhopper, beet armyworm, cabbage looper, corn earworm, cutworm, European corn borer, leafhopper. Do not exceed 5 applications per season.

**Sweet Corn (1):** To control (kill) corn earworm, corn rootworm (adult), European corn borer, fall armyworm, hop vine borer, leafhopper, Southern armyworm, stalk borer. Dust every 5 days or as needed. Do not exceed 6 applications per season.

**Tomatoes (0):** To control (kill) beet armyworm, cabbage looper, Colorado potato beetle, granulate cutworm, hornworm, vegetable leafminer, tomato fruitworm, tomato pinworm. Do not exceed 6 applications per season.

### **FRUIT AND NUT TREES**

The number in parentheses ( ) following each crop grouping is the pre-harvest interval, e.g., the number of days that must be observed between application and harvest. Also includes relevant comment.

**Apples (Do not apply after petal fall):** To control apple aphid, green fruitworm, redbanded leafroller, plum curculio, spotted tentiform leafminer, tarnished plant bug, white apple leafroller. Do not exceed 1 application per season.





**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

**FIRST AID**

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

**ENVIRONMENTAL HAZARDS**

This product is extremely toxic to fish and aquatic organisms. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwater.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use or store near heat or open flame.

Distributed by:  
**LILLY MILLER BRANDS**  
PO Box 2289 • Clackamas, OR 97015

EPA Reg. No. 1021-1749-33116  
EPA Est. 58996-MO-1  
Made in USA

[www.lillymiller.com](http://www.lillymiller.com)  
09604400-06/03

PEEL BACK BOOK HERE AND RESEAL AFTER OPENING ▲

