

Makes 12 Gallons

Lilly
Miller

Contains no
petroleum products

Oil derived
from plants

VEGOL™
YEAR-ROUND
PESTICIDAL OIL

For dormant and growing season use
Use to control all stages of insects and eggs
For roses, flowers, fruits, vegetables,
houseplants, trees



**Traducción
en español
colocada en el
panel posterior**

Active Ingredient	By Wt.
Canola Oil	96%
Other Ingredients	4%
Total	100%

This product contains 7.368 lbs.
of active ingredient per gallon.

Keep out of reach of children

CAUTION

See back for additional precautions.

NET CONTENTS 1 QT. (946 ml)

09604131-10/05

USE PRECAUTIONS

Oil removes the glaucous (blue) bloom from such evergreens as Colorado blue spruce and Koster spruce. Use caution on blooms and buds and on oil sensitive plants such as: Chamaecyparis, Cryptomeria, Japanese Holly, Red Cedar and Smoke Tree. If concerned about sensitivity of plants, test spray a portion of the plant and wait several days to determine if burn occurs before spraying larger areas.

Do not combine with sulfur and do not follow a previous application of sulfur or apply sulfur following an application of this material until sufficient time has elapsed for safety (at least 30 days).

When used in combination with or immediately before or after spraying, this product may increase the phytotoxicity of dinitro compounds, or fungicides such as Captan, Folpet, Karathene and Morestan, or copper compounds. If in doubt, treat a small area with a combination spray and wait several days to determine if burn occurs.

Do not use this product when temperatures are above 90°F. When temperatures drop below 32°F during the night, do not spray tree and vine crops until daytime temperatures have warmed to a point above 35°F and crops are free from moisture due to melting frost or heavy dews.

Use of this product on citrus after October 1 is capable of increasing the tree's susceptibility to cold damage.

DIRECTIONS FOR MIXING

For 2% formulation, mix 4 teaspoons of concentrate with 1 quart water (or 2 fluid oz. concentrate with 3 quarts water). Shake well before each use and stir or shake diluted spray frequently during use. Apply one

quart of formulation for 3 square yards. This container will cover 1296 square feet and make 12 gallons of spray.

PESTS/SITES AND APPLICATION INSTRUCTIONS

Controls Adelgids, Aphids, Immature plant bugs, Leafhoppers, Mealybugs, Mites, Phylloxera, Psyllids, Sawfly Larvae, Scale, Whitefly

For use on VEGETABLES (Beans, Cabbage, Corn, Cucurbits, Melons, Peas, Potatoes, Soybeans, Tomatoes); FRUITS & NUTS (Apples, Cherries, Citrus, Figs, Grapes, Pears, Nuts, Raspberries, Strawberries); ORNAMENTAL & SHADE TREES (Birch, Evergreens, Holly, Oak); HOUSEPLANTS; FLOWERING, FOLIAGE and BEDDING PLANTS.

Apply at a rate of 2% formulation. Using hand-held trigger sprayers, hand sprayers or backpack sprayers, thoroughly spray insect pests with diluted product until plants are wet. Repeat treatment in 1-2 weeks if needed. Apply one quart of formulation for 3 square yards.

DIRECTIONS FOR DORMANT USE

Controls egg stages of pests present in dormant season and scale insects, mites and mealybugs on dormant shrubs (such as roses), evergreens, woody plants, fruit trees and shade trees. For dormant use apply a 2% formulation, mix 4 teaspoons of concentrate with 1 quart water (or 2 fluid ounces concentrate with 3 quarts water). Thoroughly wet the dormant plants or trees.

STORAGE AND DISPOSAL

Storage: Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals.

Disposal: *If empty:* Do not reuse this container. Place in trash or offer for recycling if available. *If partly filled:* Call your local solid waste

agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE TO BUYER

Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated on this label only when used in accordance with directions under normal use conditions. To the fullest extent permitted by law, the seller shall not be liable for damages caused by buyer's use of product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller. Seller makes no other warranties, either expressed or implied.

INSTRUCCIONES DE USO

Usar este producto de modo inconsistente con las indicaciones de su etiqueta constituye una violación de la ley federal. Para usarse en hogares, jardines domésticos e invernaderos domésticos.

Sírvase leer toda la etiqueta. Use sólo según las indicaciones. Agite bien antes de usar. Humedecer completamente todas las partes de las plantas y plagas. Repita el tratamiento en 1 - 2 semanas si es necesario.

PRECAUCIONES DE USO

El aceite elimina la florescencia azul de las plantas siempre verdes como el abeto azul y al abeto Koster. Tenga precaución con las florescencias y brotes de plantas sensibles al aceite como: ciprés de Lawson, criptomeria, acebo japonés, cedro rojo y fustete. Si le preocupa la sensibilidad de las plantas, aplique un rociado de prueba en una parte de la planta y esperar varios días para determinar si ocurren quemaduras antes de rociar en zonas más grandes.

No mezcle con azufre y no continúe en una aplicación anterior de azufre o aplique azufre luego de la aplicación de este material hasta que haya transcurrido tiempo suficiente para lograr la seguridad (por lo menos 30 días).

Cuando se utiliza en combinación o inmediatamente antes o después del rociado, este producto puede aumentar la fitotoxicidad de los compuestos dinitrosos o funguicidas como Captan, Folpet, Karathene y Morestan, o compuestos de cobre. Si hay duda, trate una zona pequeña con un rociado mixto y espere varios días para determinar si ocurren quemaduras.

No utilice este producto cuando las temperaturas sean superiores a 90°F. Cuando las temperaturas disminuyan por debajo de 32°F durante la noche, no rocíe los árboles ni los cultivos de parras hasta que las temperaturas durante el día hayan aumentado a más de 35°F y los cultivos se encuentren libres de humedad debido al derretimiento del rocío congelado o tupido.

Use este producto en plantas cítricas después del 1 de octubre, pues es capaz de aumentar la susceptibilidad del árbol al daño por el frío.

INSTRUCCIONES PARA LA MEZCLA

Para obtener una formulación de 2%, mezcle 4 cucharaditas de concentrado con 1 cuarto de agua (o 2 onzas líquidas de concentrado con 3 cuartos de agua). Agite bien antes de usar y agite la dilución con frecuencia durante el uso. Aplique un cuarto de la fórmula para 3 yardas cuadradas. Este envase cubrirá 1296 pies cuadrados y sirve para 12 galones de rociado.

ZONAS DE PLAGAS E INSTRUCCIONES DE APLICACIÓN

Controla los adélgidos, áfidos, bichos de plantas inmaduras, saltamontes, cochinillas harinosas, ácaros, filoxeras, psílicos, larvas de las moscas de sierra, cochinillas, mosca blanca.

Para utilizar en VEGETALES (Frijol, col, maíz, cucurbitácea, melón, guisante, papa, frijol de soya, tomate; FRUTAS y NUECES (manzana, cereza, frutas cítricas, higo, uva, pera, nuez, arándano, fresa; ÁRBOLES ORNAMENTALES E INTERIORES (abedul, plantas perennes, acebo, roble); PLANTAS DOMÉSTICAS; FLORESCENCIAS, FOLLAJE y PLÁNTULAS DE TEMPORADA.

Aplique una fórmula de 2%. Mediante rociadores accionados por gatillo, rociadores manuales o rociadores de mochila, rocíe completamente en las plagas de insectos el producto diluido hasta que se empapen las plantas. Repita el tratamiento en 1 - 2 semanas si es necesario. Aplique un cuarto de la fórmula para 3 yardas cuadradas.

INSTRUCCIONES DE USO DURANTE PERIODO INACTIVO

Controla las etapas de huevecillos de las plagas presentes en la temporada inactiva y las cochinillas, ácaros y cochinillas harinosas

en los arbustos inactivos (por ejemplo las rosas), plantas perennes, plantas leñosas, árboles frutales y árboles interiores. Para utilizar en periodo de inactividad, aplique una fórmula de 2%, mezcle 4 cucharaditas de concentrado con 1 cuarto de agua (o 2 onzas líquidas de concentrado con 3 cuartos de agua). Humedezca completamente los árboles o plantas inactivos.

ALMACENAMIENTO Y ELIMINACIÓN

Almacenamiento: Guarde este producto en su envase original y consérvelo en una zona de almacenamiento segura fuera del alcance de los niños y animales domésticos. **Eliminación:** *Si el envase está vacío:* No vuelva a utilizar este envase. Coloque el envase en la basura u ofrézcalo para reciclado si hubiera. *Si el envase se encuentra parcialmente lleno:* Llame a su agencia local de desechos sólidos o al 1-800-CLEANUP para obtener instrucciones de eliminación. Nunca coloque el producto no utilizado debajo de ningún drenaje interior o exterior.

NOTIFICACIÓN AL COMPRADOR

El vendedor garantiza que este producto cumple con la descripción de esta etiqueta y es razonablemente adecuado para los fines mencionados en esta etiqueta sólo si se usa en conformidad con las instrucciones en condiciones normales de uso. Hasta el mayor grado que lo permita la ley, el vendedor no será responsable por los daños causados por el uso del producto de parte del comprador de modo contrario a las instrucciones de la etiqueta, o en condiciones de uso anormales, o en condiciones que razonablemente no pueda prever el vendedor. El vendedor no ofrece otras garantías, ya sean expresas o implícitas.

DECLARACIONES DE PRECAUCIÓN

DAÑINO PARA LOS SERES HUMANOS Y ANIMALES DOMÉSTICOS

PRECAUCIÓN: Evite el contacto con la piel o la ropa. Lávese completamente con agua y jabón después de manejar el producto y antes de comer, beber, masticar goma o consumir tabaco.

PRIMEROS AUXILIOS

SI OCURRE CONTACTO CON LA PIEL O ROPA: Quítese la ropa contaminada. Enjuague la piel inmediatamente con abundante agua durante 15 a 20 minutos. Llame a un centro de control de envenenamiento o a un médico para recibir consejos de tratamiento. Tenga consigo el envase o etiqueta del producto cuando llame al centro de control de envenenamiento o al médico, o acuda al tratamiento. También puede comunicarse con la línea directa de la Red Nacional de Telecomunicaciones de Plaguicidas llamando al 1-800-858-7378 para obtener información de tratamiento médico de emergencia.

RIESGOS AMBIENTALES: No aplique directamente en el agua. No contamine el agua cuando deseche las aguas con que lavó el equipo o el agua del enjuague.

LILLY MILLER®

VEGOL™ YEAR-ROUND PESTICIDAL OIL

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For use in homes, home gardens and home greenhouses.

Please read entire label. Use only as directed. Shake well before each use. Thoroughly wet all parts of the pests and plants. Repeat treatment in 1 - 2 weeks if needed.

Distributed by:

LILLY MILLER BRANDS

PO BOX 2289

CLACKAMAS, OR 97015

EPA REG. NO. 67702-4-33116

EPA Est. 61448-CA-1

www.lillymiller.com

09604131-10/05



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact the National Pesticide Telecommunications Network hotline at 1-800-858-7378 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS: Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

Vego™ is a trademark of W. Neudorff GmbH KG, Germany.
Manufactured under a license of W. Neudorff GmbH KG.



Distributed by:

LILLY MILLER BRANDS
PO BOX 2289
CLACKAMAS, OR 97015

EPA REG. NO. 67702-4-33116
EPA Est. 61448-CA-1

www.lillymiller.com
09604131-10/05

PEEL BACK BOOK HERE AND RESEAL AFTER OPENING ▲